



SM Concentrate

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 2/8/2019 Revision date: 1/3/2023 Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : SM Concentrate
Product code : 1704000
Product group : Cleaning product.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Professional use

1.3. Details of the supplier of the safety data sheet

WVT Industries N.V.
Industrieweg 6
BE 2630 Aartselaar, Antwerpen
België
T +32 (0)3/870.70.90
info@wvt.be, www.wvtindustries.com

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Belgium	Centre Anti-Poisons/Antigifocentrum c/o Hôpital Central de la Base - Reine Astrid	Rue Bruyn 1 B -1120 Brussels	+32 70 245 245	Please dial: 070 245 245 for any urgent questions about intoxication (free of charge 24/7), if not accessible, dial: 02 264 96 30 (standard fee)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 1 H318
Reproductive toxicity, Category 1B H360D
Specific target organ toxicity – Single exposure, Category 3, H336
Narcosis
Specific target organ toxicity – Single exposure, Category 3, H335
Respiratory tract irritation
Aspiration hazard, Category 1 H304
Hazardous to the aquatic environment – Chronic Hazard, H411
Category 2
Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

SM Concentrate

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

GHS07

GHS08

GHS09

Signal word (CLP) :

Danger

Contains :

2-butoxyethanol; Isotridecanol, branched, ethoxylated; Hydrocarbons, C10, aromatics, >1% Naphtanene; N-methyl-2-pyrrolidone

Hazard statements (CLP) :

H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H318 - Causes serious eye damage.

H335 - May cause respiratory irritation.

H336 - May cause drowsiness or dizziness.

H360D - May damage the unborn child.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) :

P280 - Wear protective gloves, protective clothing, eye protection, face protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 - IF exposed or concerned: Get medical advice/attention.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	N-methyl-2-pyrrolidone (872-50-4)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	N-methyl-2-pyrrolidone (872-50-4)

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
Substance(s) not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	N-methyl-2-pyrrolidone (872-50-4)

SM Concentrate

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-butoxyethanol	CAS-No.: 111-76-2 EC-No.: 203-905-0 EC Index-No.: 603-014-00-0 REACH-no: 01-2119475108-36	15 – 30	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319
Hydrocarbons, C10, aromatics, >1% Naphtanene	EC-No.: 919-284-0 REACH-no: 01-2119463588-24	15 – 30	Carc. 2, H351 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
N-methyl-2-pyrrolidone substance listed on REACH Candidate List (1-Methyl-2-pyrrolidone (NMP))	CAS-No.: 872-50-4 EC-No.: 212-828-1 EC Index-No.: 606-021-00-7	15 – 30	Repr. 1B, H360D Eye Irrit. 2, H319 STOT SE 3, H335 Skin Irrit. 2, H315
Isotridecanol, branched, ethoxylated	CAS-No.: 69011-36-5 EC-No.: 931-138-8 REACH-no: Polymer	5 – 15	Eye Dam. 1, H318 Aquatic Chronic 3, H412
Ethanolamine	CAS-No.: 141-43-5 EC-No.: 205-483-3 EC Index-No.: 603-030-00-8 REACH-no: 01-2119486455-28	≤ 5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Chronic 3, H412
Naphthalene	CAS-No.: 91-20-3 EC-No.: 202-049-5 EC Index-No.: 601-052-00-2	≤ 5	Carc. 2, H351 Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Dodecyl benzene sulphonic acid, ethanolamine salt	CAS-No.: 26836-07-7	≤ 5	Skin Irrit. 2, H315 Eye Dam. 1, H318

Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
N-methyl-2-pyrrolidone	CAS-No.: 872-50-4 EC-No.: 212-828-1 EC Index-No.: 606-021-00-7	(10 ≤ C ≤ 100) STOT SE 3; H335
Ethanolamine	CAS-No.: 141-43-5 EC-No.: 205-483-3 EC Index-No.: 603-030-00-8 REACH-no: 01-2119486455-28	(5 ≤ C ≤ 100) STOT SE 3; H335

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : In all cases of doubt, or when symptoms persist, seek medical attention.

SM Concentrate

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after inhalation	: Call a physician immediately. Move the affected person away from the contaminated area and into the fresh air. If breathing is irregular or stopped, administer artificial respiration.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Rinse skin with plenty of water or shower. Transport to hospital immediately.
First-aid measures after eye contact	: Contact lenses should be removed. First prolonged rinsing with water (contact lenses to be removed if this is easily done), then take to a doctor.
First-aid measures after ingestion	: Drink plenty of water. Do NOT induce vomiting. Take to hospital.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Unconsciousness. Dizziness. Headache. Nausea. Drowsiness.
Symptoms/effects after skin contact	: Pungent. Severe burns. Pain. Redness.
Symptoms/effects after eye contact	: Pungent. Pain. Redness. Blurred vision.
Symptoms/effects after ingestion	: Caustic, lack of breath, vomiting, blisters on lips and tongue, burning pain in mouth and throat, gullet and stomach.

4.3. Indication of any immediate medical attention and special treatment needed

None.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Powder. Foam. CO ₂ .
Unsuitable extinguishing media	: Do not use a heavy water stream. Do not use extinguishing media containing water.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: None.
Explosion hazard	: Prolonged exposure to fire may cause containers to rupture/explode.

5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Prevent fire fighting water from entering the environment. Contain the extinguishing fluids by bunding.
Protection during firefighting	: Wear recommended personal protective equipment.
Other information	: None.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Do not touch spilled material. Do not breathe vapour. Do not breathe fumes. Do not breathe dust.
------------------	--

For non-emergency personnel

Protective equipment	: Wear suitable protective clothing.
----------------------	--------------------------------------

For emergency responders

Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: Stop leak if safe to do so.

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Absorb the product onto porous material.
-------------------------	--

6.4. Reference to other sections

Reference to other sections (8, 13).

SM Concentrate

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Handle carefully. Avoid spillage. No naked flames, sparks, and do not smoke. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Do not eat, drink or smoke when using this product. Provide good ventilation in process area to prevent formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Exclude sources of heat, sparks and open flame.
Storage area : Keep container tightly closed and in well ventilated place. Keep out of frost.

7.3. Specific end use(s)

Cleaning product.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

SM Concentrate	
Belgium - Occupational Exposure Limits	
OEL TWA	Here follows a summary list of the hazardous components mentioned in paragraph 3, of which the TLV value is known: 98 mg/m ³ 2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve 53 mg/m ³ naphthalene 40 mg/m ³ N-Methyl-2-pyrrolidone 2.5 mg/m ³ Ethanolamine

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

The level of protection and types of measures depend on workplace conditions. Adequate ventilation must be provided so that exposure limits are not exceeded. For more information, see section 7.

Personal protection equipment

Personal protective equipment:

Gloves. Safety glasses. Protective clothing. Mask.

Personal protective equipment symbol(s):



Skin protection

Skin and body protection:

Impermeable clothing

Hand protection:

Nitrile rubber gloves (EN 374). Breakthrough time: > 480 Min. Layer thickness : 0,70mm

Respiratory protection

Respiratory protection:

Ensure adequate air ventilation. In case of insufficient ventilation, wear suitable respiratory equipment

SM Concentrate

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Respiratory protection			
Device	Filter type	Condition	Standard
Mask	Type A - High-boiling (>65 °C) organic compounds		EN 136, EN 140, EN 405

Environmental exposure controls

Environmental exposure controls:

Comply with relevant environmental regulations limiting discharges to air, water and soil. Protect the environment by applying proper control measures to prevent or reduce releases. For more information, see sections 6 and 13.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Odour	: Characteristic.
Odour threshold	: Not available
Melting point	: -24
Freezing point	: Not available
Boiling point	: 100 – 212 °C
Flammability	: Not applicable.
Explosive properties	: Not applicable.
Oxidising properties	: Not applicable.
Lower explosive limit (LEL)	: 0.8 vol %
Upper explosive limit (UEL)	: 10.6 vol %
Flash point	: 63 °C
Auto-ignition temperature	: 230 °C
Decomposition temperature	: /
pH	: 0 /.
pH solution	: 8.9 1% in water
Viscosity, kinematic	: 1000000 mm ² /s
Viscosity, dynamic	: 1 mPa·s @ 20 °C.
Solubility	: Forms an emulsion with water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: 800 Pa @ 20 °C.
Vapour pressure at 50°C	: Not available
Density	: 0.9518 kg/l
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

Other safety characteristics

Relative evaporation rate (butylacetate=1)	: 0.3
VOC content	: 83.33 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable at ambient temperature and under normal conditions of use.

10.2. Chemical stability

Extremely high or low temperatures. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

None known.

SM Concentrate

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.4. Conditions to avoid

Protect from sunlight. Do not expose to temperatures exceeding 50 °C. Exclude sources of heat, sparks and open flame.

10.5. Incompatible materials

Bases. Acids. Oxidizing agents. Reducing agents. Aluminium. Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Heating can release hazardous gases.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

SM Concentrate

ATE CLP (oral)	> 2000 mg/kg
ATE CLP (dermal)	> 2000 mg/kg

2-butoxyethanol (111-76-2)

LD50 oral rat	1200 (≥ 300) mg/kg
LD50 dermal rabbit	1100 mg/kg
LC50 Inhalation - Rat	11 mg/l/4h

Isotridecanol, branched, ethoxylated (69011-36-5)

LD50 oral rat	≥ 5000 mg/kg
LD50 dermal rabbit	≥ 5000 mg/kg
LC50 Inhalation - Rat	≥ 5 mg/l

Ethanolamine (141-43-5)

LD50 oral rat	1089 mg/kg
LD50 dermal rabbit	2504 mg/kg
LC50 Inhalation - Rat	11 mg/l/4h

Naphthalene (91-20-3)

LD50 oral rat	500 mg/kg
LD50 dermal rabbit	≥ 5000 mg/kg
LC50 Inhalation - Rat	≥ 50 mg/l/4h

Hydrocarbons, C10, aromatics, >1% Naphtanene

LD50 oral rat	≥ 5000 mg/kg
LD50 dermal rabbit	≥ 5000 mg/kg
LC50 Inhalation - Rat	≥ 50 mg/l/4h

N-methyl-2-pyrrolidone (872-50-4)

LD50 oral rat	3600 mg/kg
LD50 dermal rabbit	≥ 5000 mg/kg
LC50 Inhalation - Rat	≥ 50 mg/l/4h

SM Concentrate

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Dodecyl benzene sulphonic acid, ethanolamine salt (26836-07-7)

LD50 oral rat	≥ 5000 mg/kg
LD50 dermal rabbit	≥ 5000 mg/kg
LC50 Inhalation - Rat	≥ 50 mg/l/4h

Skin corrosion/irritation : Causes skin irritation.
pH: 0 /.

2-butoxyethanol (111-76-2)

pH	/.
----	----

Isotridecanol, branched, ethoxylated (69011-36-5)

pH	6.8
----	-----

Serious eye damage/irritation : Causes serious eye damage.
pH: 0 /.

2-butoxyethanol (111-76-2)

pH	/.
----	----

Isotridecanol, branched, ethoxylated (69011-36-5)

pH	6.8
----	-----

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : May damage the unborn child.
STOT-single exposure : May cause drowsiness or dizziness. May cause respiratory irritation.

Ethanolamine (141-43-5)

STOT-single exposure	May cause respiratory irritation.
----------------------	-----------------------------------

Hydrocarbons, C10, aromatics, >1% Naphtanene

STOT-single exposure	May cause drowsiness or dizziness.
----------------------	------------------------------------

N-methyl-2-pyrrolidone (872-50-4)

STOT-single exposure	May cause respiratory irritation.
----------------------	-----------------------------------

STOT-repeated exposure : Not classified
Aspiration hazard : May be fatal if swallowed and enters airways.

SM Concentrate

Viscosity, kinematic	1000000 mm ² /s
----------------------	----------------------------

2-butoxyethanol (111-76-2)

Viscosity, kinematic	3.7 mm ² /s @ 20°C.
----------------------	--------------------------------

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : No data available.
Hazardous to the aquatic environment, short-term (acute) : Not classified
Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.

SM Concentrate

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-butoxyethanol (111-76-2)	
LC50 - Fish [1]	1474 mg/l (Oncorhynchus mykiss, 96h)
EC50 - Crustacea [1]	1550 mg/l (Daphnia, 48h)
EC50 72h - Algae [1]	> 911 mg/l
NOEC chronic crustacea	> 100 mg/l (Daphnia, 72h)
NOEC chronic algae	> 280 mg/l (72h)

Isotridecanol, branched, ethoxylated (69011-36-5)	
LC50 - Fish [1]	< 1 mg/l
ErC50 algae	1 – 10 mg/l

Ethanolamine (141-43-5)	
LC50 - Fish [1]	349 mg/l (Cyprinus carpio, 4d)
EC50 - Crustacea [1]	65 mg/l (Daphnia)
EC50 72h - Algae [1]	2.1 – 2.8 mg/l
NOEC chronic fish	1.24 mg/l (Oryzias latipes, 41d)
NOEC chronic crustacea	0.85 mg/l (21d)
NOEC chronic algae	1 mg/l (72h)

N-methyl-2-pyrrolidone (872-50-4)	
LC50 - Fish [1]	> 500 mg/l
EC50 - Crustacea [1]	1107 mg/l 96h
EC50 72h - Algae [1]	600.5 mg/l
NOEC chronic fish	500 mg/l 96h
NOEC chronic crustacea	125 mg/l 72h

12.2. Persistence and degradability

SM Concentrate	
Persistence and degradability	No data available.
2-butoxyethanol (111-76-2)	
Persistence and degradability	Rapidly degradable
Isotridecanol, branched, ethoxylated (69011-36-5)	
Persistence and degradability	Rapidly degradable
Ethanolamine (141-43-5)	
Persistence and degradability	Rapidly degradable
Naphthalene (91-20-3)	
Persistence and degradability	Rapidly degradable
Hydrocarbons, C10, aromatics, >1% Naphtanene	
Persistence and degradability	Rapidly degradable
N-methyl-2-pyrrolidone (872-50-4)	
Persistence and degradability	Rapidly degradable

SM Concentrate

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Dodecyl benzene sulphonic acid, ethanolamine salt (26836-07-7)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

12.3. Bioaccumulative potential

SM Concentrate

Bioaccumulative potential	No data available.
---------------------------	--------------------

Isotridecanol, branched, ethoxylated (69011-36-5)

Partition coefficient n-octanol/water (Log Pow)	3
---	---

Ethanolamine (141-43-5)

Partition coefficient n-octanol/water (Log Pow)	-2.3 -- -1.31
---	---------------

12.4. Mobility in soil

SM Concentrate

Mobility in soil	2
Ecology - soil	Not soluble in water.

2-butoxyethanol (111-76-2)

Organic Carbon Normalized Adsorption Coefficient (Log Koc)	50 – 150
--	----------

12.5. Results of PBT and vPvB assessment

Component

Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	N-methyl-2-pyrrolidone (872-50-4)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	N-methyl-2-pyrrolidone (872-50-4)

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation	: Comply with local regulations for disposal.
Waste treatment methods	: Dispose of at an licensed site.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Do not discharge into drains.

SECTION 14: Transport information

In accordance with ADR

14.1. UN number or ID number

UN-No. (ADR) : UN 3082

SM Concentrate

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Environmentally hazardous substance, liquid, n.o.s.
Transport document description (ADR) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (mixture with Hydrocarbons, C10, aromatics, less than 1% naphthalene; N-Methyl-2-pyrrolidone; 2-butoxyethanol; Fattyalcohol C12 -14, ethoxylated), 9, III, (-)

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 9
Danger labels (ADR) : 9



14.4. Packing group

Packing group (ADR) : III

14.5. Environmental hazards


Dangerous for the environment : Yes
Other information : No supplementary information available

14.6. Special precautions for user

Special transport precautions : Do not allow to enter drains or water courses

Overland transport

Hazard identification number (Kemler No.) : 90
Orange plates :



Tunnel restriction code (ADR) : -

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains substance(s) listed on the REACH Candidate List in concentrations $\geq 0.1\%$ or SCL: 1-Methyl-2-pyrrolidone (NMP) (EC 212-828-1, CAS 872-50-4)

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

SM Concentrate

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

VOC Directive (2004/42)

VOC content : 83.33 %

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Indication of changes		
Section	Changed item	Comments
2.2		

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 2	Carcinogenicity, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.

SM Concentrate

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H351	Suspected of causing cancer.
H360D	May damage the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Repr. 1B	Reproductive toxicity, Category 1B
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.